



PRODUCT LABEL

#	6110-A1 MAX	
REF	66191	SN 230075
UDI		2023.05.25
SIEM - NOVA SRL 20089 ROZZANO (MI) - VIA VARALLI 1 (ITA) - Italy		
HIGH FLOW - HIGH VACUUM - 0,93 BAR / -93 kPa Power: 325 VA - Mains fuses: 2 xT 3,15 A Mains Voltage: 230 V ~ 50 Hz		
MD		IP21 0051
20 kg = 44,1 lb		

#	6110-A1 MAX	
REF	66190	SN 230075
UDI		2023.05.25
SIEM - NOVA SRL 20089 ROZZANO (MI) - VIA VARALLI 1 (ITA) - Italy		
HIGH FLOW - HIGH VACUUM - 0,93 BAR / -93 kPa Power: 280 VA - Mains fuses: 2 xT 3,15 A Mains Voltage: 230 V ~ 50 Hz		
MD		IP21 0051
20 kg = 44,1 lb		

#	6110-A1 MAX	
REF	66190-5L	SN 230075
UDI		2023.05.25
SIEM - NOVA SRL 20089 ROZZANO (MI) - VIA VARALLI 1 (ITA) - Italy		
HIGH FLOW - HIGH VACUUM - 0,93 BAR / -93 kPa Power: 180 VA - Mains fuses: 2 xT 3,15 A Mains Voltage: 230 V ~ 50 Hz		
MD		IP21 0051
18 kg = 39,6 lb		



6110-A1 CURET-MAX
 REF 66192 SN 230075

UDI   2023.05.25

 SIEM - NOVA SRL
 20089 ROZZANO (MI) - VIA VARALLI 1 (ITA) - Italy

HIGH FLOW - HIGH VACUUM - 0,93 BAR / -93 kPa
 Power: 325 VA - Mains fuses: 2 xT 3,15 A
 Mains Voltage: 230 V ~ 50 Hz 20 kg = 44,1 lb

MD   IP21   CE 0051

6110-A1 CURET-MAX
 REF 66192.1 SN 230075

UDI   2023.05.25

 SIEM - NOVA SRL
 20089 ROZZANO (MI) - VIA VARALLI 1 (ITA) - Italy

HIGH FLOW - HIGH VACUUM - 0,93 BAR / -93 kPa
 Power: 280 VA - Mains fuses: 2 xT 3,15 A
 Mains Voltage: 230 V ~ 50 Hz 20 kg = 44,1 lb

MD   IP21   CE 0051

6110-A1 CURET-MAX
 REF 66192-5L SN 230075

UDI   2023.05.25



 SIEM - NOVA SRL
 20089 ROZZANO (MI) - VIA VARALLI 1 (ITA) - Italy


HIGH FLOW - HIGH VACUUM - 0,93 BAR / -93 kPa
 Power: 180 VA - Mains fuses: 2 xT 3,15 A
 Mains Voltage: 230 V ~ 50 Hz 18 kg = 39,6 lb

MD   IP21   CE 0051







6110-A1 LIPO-MAX
 REF **66193** SN **230075**



UDI   **2023.05.25**


 **SIEM - NOVA SRL**
 20089 ROZZANO (MI) - VIA VARALLI 1 (ITA) - Italy

HIGH FLOW - HIGH VACUUM - 0,93 BAR / -93 kPa
 Power: 325 VA - Mains fuses: 2 xT 3,15 A
 Mains Voltage: 230 V ~ 50 Hz 20 kg = 44,1 lb





MD   **IP21**   **CE** 0051

6110-A1 LIPO-MAX
 REF **66193.1** SN **230075**



UDI   **2023.05.25**


 **SIEM - NOVA SRL**
 20089 ROZZANO (MI) - VIA VARALLI 1 (ITA) - Italy

HIGH FLOW - HIGH VACUUM - 0,93 BAR / -93 kPa
 Power: 280 VA - Mains fuses: 2 xT 3,15 A
 Mains Voltage: 230 V ~ 50 Hz 20 kg = 44,1 lb





MD   **IP21**   **CE** 0051

6110-A1 LIPO-MAX
 REF **66193-5L** SN **230075**

UDI   **2023.05.25**

 **SIEM - NOVA SRL**
 20089 ROZZANO (MI) - VIA VARALLI 1 (ITA) - Italy

HIGH FLOW - HIGH VACUUM - 0,93 BAR / -93 kPa
 Power: 180 VA - Mains fuses: 2 xT 3,15 A
 Mains Voltage: 230 V ~ 50 Hz 18 kg = 39,6 lb

MD   **IP21**   **CE** 0051



#	6110-A2 SPEEDY	
REF	66194.1	SN 230075
UDI		2023.05.25
SIEM - NOVA SRL 20089 ROZZANO (MI) - VIA VARALLI 1 (ITA) - Italy		
HIGH FLOW - HIGH VACUUM - 0,93 BAR / -93 kPa Power: 325 VA - Mains fuses: 2 xT 3,15 A Mains Voltage: 230 V ~ 50 Hz		
MD		IP21 0051



#	6110-A2 SPEEDY	
REF	66194	SN 230075
UDI		2023.05.25
SIEM - NOVA SRL 20089 ROZZANO (MI) - VIA VARALLI 1 (ITA) - Italy		
HIGH FLOW - HIGH VACUUM - 0,93 BAR / -93 kPa Power: 280 VA - Mains fuses: 2 xT 3,15 A Mains Voltage: 230 V ~ 50 Hz		
MD		IP21 0051


#	6110-A2 SPEEDY	
REF	66194-5L	SN 230075
UDI		2023.05.25
SIEM - NOVA SRL 20089 ROZZANO (MI) - VIA VARALLI 1 (ITA) - Italy		
HIGH FLOW - HIGH VACUUM - 0,93 BAR / -93 kPa Power: 180 VA - Mains fuses: 2 xT 3,15 A Mains Voltage: 230 V ~ 50 Hz		
MD		IP21 0051







6110-A2 CURET-SPEEDY

REF **66196** SN **230075**

UDI   2023.05.25



 **SIEM - NOVA SRL**
20089 ROZZANO (MI) - VIA VARALLI 1 (ITA) - Italy


HIGH FLOW - HIGH VACUUM - 0,93 BAR / -93 kPa
Power: 325 VA - Mains fuses: 2 xT 3,15 A
Mains Voltage: 230 V ~ 50 Hz 20 kg = 44,1 lb

MD   IP21   CE 0051





6110-A2 CURET-SPEEDY

REF **66195** SN **230075**

UDI   2023.05.25



 **SIEM - NOVA SRL**
20089 ROZZANO (MI) - VIA VARALLI 1 (ITA) - Italy


HIGH FLOW - HIGH VACUUM - 0,93 BAR / -93 kPa
Power: 280 VA - Mains fuses: 2 xT 3,15 A
Mains Voltage: 230 V ~ 50 Hz 20 kg = 44,1 lb

MD   IP21   CE 0051





6110-A2 CURET-SPEEDY

REF **66195-5L** SN **230075**

UDI   2023.05.25

 **SIEM - NOVA SRL**
20089 ROZZANO (MI) - VIA VARALLI 1 (ITA) - Italy

HIGH FLOW - HIGH VACUUM - 0,93 BAR / -93 kPa
Power: 180 VA - Mains fuses: 2 xT 3,15 A
Mains Voltage: 230 V ~ 50 Hz 18 kg = 39,6 lb

MD   IP21   CE 0051



#	6110-A2 LIPO-SPEEDY	
REF	66198	SN 230075
UDI		2023.05.25
SIEM - NOVA SRL 20089 ROZZANO (MI) - VIA VARALLI 1 (ITA) - Italy		
HIGH FLOW - HIGH VACUUM - 0,93 BAR / -93 kPa Power: 325 VA - Mains fuses: 2 xT 3,15 A Mains Voltage: 230 V ~ 50 Hz		
MD		IP21 0051

#	6110-A2 LIPO-SPEEDY	
REF	66197	SN 230075
UDI		2023.05.25
SIEM - NOVA SRL 20089 ROZZANO (MI) - VIA VARALLI 1 (ITA) - Italy		
HIGH FLOW - HIGH VACUUM - 0,93 BAR / -93 kPa Power: 280 VA - Mains fuses: 2 xT 3,15 A Mains Voltage: 230 V ~ 50 Hz		
MD		IP21 0051

#	6110-A2 LIPO-SPEEDY	
REF	66197-5L	SN 230075
UDI		2023.05.25
SIEM - NOVA SRL 20089 ROZZANO (MI) - VIA VARALLI 1 (ITA) - Italy		
HIGH FLOW - HIGH VACUUM - 0,93 BAR / -93 kPa Power: 180 VA - Mains fuses: 2 xT 3,15 A Mains Voltage: 230 V ~ 50 Hz		
MD		IP21 0051



PRODUCT LABEL

#	6110-A3 SIEM	
REF	66133	SN 230075
UDI		2023.05.25
SIEM - NOVA SRL 20089 ROZZANO (MI) - VIA VARALLI 1 (ITA) - Italy		
HIGH FLOW - HIGH VACUUM - 0,87 BAR / -87 kPa Power: 120 VA - Mains fuses: 2 xT 1 A Mains Voltage: 230 V ~ 50 Hz		
MD		IP21

#	6110-A3 SIEM	
REF	66133-5L	SN 230075
UDI		2023.05.25
SIEM - NOVA SRL 20089 ROZZANO (MI) - VIA VARALLI 1 (ITA) - Italy		
HIGH FLOW - HIGH VACUUM - 0,93 BAR / -93 kPa Power: 180 VA - Mains fuses: 2 xT 3,15 A Mains Voltage: 230 V ~ 50 Hz		
MD		IP21

#	6110-A3 SIEM	
REF	66130	SN 230075
UDI		2023.05.25
SIEM - NOVA SRL 20089 ROZZANO (MI) - VIA VARALLI 1 (ITA) - Italy		
HIGH FLOW - HIGH VACUUM - 0,87 BAR / -87 kPa Power: 120 VA - Mains fuses: 2 xT 1 A Mains Voltage: 230 V ~ 50 Hz		
MD		IP21



#	6110-A3 SIEM	
REF	66130-5L	SN 230075
UDI		2023.05.25
SIEM - NOVA SRL 20089 ROZZANO (MI) - VIA VARALLI 1 (ITA) - Italy		
HIGH FLOW - HIGH VACUUM - 0,93 BAR / -93 kPa Power: 180 VA - Mains fuses: 2 xT 3,15 A Mains Voltage: 230 V ~ 50 Hz		
MD		IP21 0051

#	6110-A4 JUNIOR	
REF	66134	SN 230075
UDI		2023.05.25
SIEM - NOVA SRL 20089 ROZZANO (MI) - VIA VARALLI 1 (ITA) - Italy		
HIGH FLOW - HIGH VACUUM - 0,87 BAR / -87 kPa Power: 120 VA - Mains fuses: 2 xT 1 A Mains Voltage: 230 V ~ 50 Hz		
MD		IP21 0051

#	6110-A4 LIPO-JUNIOR	
REF	66136	SN 230075
UDI		2023.05.25
SIEM - NOVA SRL 20089 ROZZANO (MI) - VIA VARALLI 1 (ITA) - Italy		
HIGH FLOW - HIGH VACUUM - 0,87 BAR / -87 kPa Power: 120 VA - Mains fuses: 2 xT 1 A Mains Voltage: 230 V ~ 50 Hz		
MD		IP21 0051



6110-A5 GASTRO-EVER

REF **66140** **SN** **230075**

UDI   **2023.05.25**


 **SIEM - NOVA SRL**
20089 ROZZANO (MI) - VIA VARALLI 1 (ITA) - Italy


LOW FLOW - LOW VACUUM - 0,25 BAR / -25 kPa
Power: 12 VA - Mains fuses: 2 xT 1 A
Mains Voltage: 230 V ~ 50 Hz 11,5 kg = 25,3 lb

MD   **IP21**   **CE** 0051



6110-A6 GASTRO-JUNIOR

REF **66145** **SN** **230075**

UDI   **2023.05.25**



 **SIEM - NOVA SRL**
20089 ROZZANO (MI) - VIA VARALLI 1 (ITA) - Italy


LOW FLOW - LOW VACUUM - 0,25 BAR / -25 kPa
Power: 12 VA - Mains fuses: 2 xT 1 A
Mains Voltage: 230 V ~ 50 Hz 5,5 kg = 12,1 lb

MD   **IP21**   **CE** 0051





6110-A7 GASTRO-PLEURICO-TORVAIANICA

REF **66150** **SN** **230075**

UDI   **2023.05.25**

 **SIEM - NOVA SRL**
20089 ROZZANO (MI) - VIA VARALLI 1 (ITA) - Italy

LOW FLOW - LOW VACUUM - 0,25 BAR / -25 kPa
Power: 12 VA - Mains fuses: 2 xT 1 A
Mains Voltage: 230 V ~ 50 Hz 13,5 kg = 29,7 lb

MD   **IP21**   **CE** 0051



PRODUCT LABEL

6110-A8 PLEURICO-TORACICO
REF **66155** **SN** **230075**



UDI   **2023.05.25**


 **SIEM - NOVA SRL**
20089 ROZZANO (MI) - VIA VARALLI 1 (ITA) - Italy

LOW FLOW - LOW VACUUM - 0,25 BAR / -25 kPa
Power: 12 VA - Mains fuses: 2 xT 1 A
Mains Voltage: 230 V ~ 50 Hz 12,5 kg = 27,5 lb





MD   **IP21**   **CE** 0051

6110-A9 VENTOSA-MAX
REF **66199** **SN** **230075**



UDI   **2023.05.25**


 **SIEM - NOVA SRL**
20089 ROZZANO (MI) - VIA VARALLI 1 (ITA) - Italy

HIGH FLOW - HIGH VACUUM - 0,93 BAR / -93 kPa
Power: 280 VA - Mains fuses: 2 xT 3,15 A
Mains Voltage: 230 V ~ 50 Hz 21 kg = 46,2 lb





MD   **IP21**   **CE** 0051

6110-A10 VENTOSA-SIEM
REF **66200** **SN** **230075**

UDI   **2023.05.25**

 **SIEM - NOVA SRL**
20089 ROZZANO (MI) - VIA VARALLI 1 (ITA) - Italy

HIGH FLOW - HIGH VACUUM - 0,93 BAR / -93 kPa
Power: 180 VA - Mains fuses: 2 xT 3,15 A
Mains Voltage: 230 V ~ 50 Hz 19 kg = 41,8 lb

MD   **IP21**   **CE** 0051



PRODUCT LABEL

#	DOMI AC		
REF	66132	SN	230075
UDI			2023.05.25
SIEM - NOVA SRL 20089 ROZZANO (MI) - VIA VARALLI 1 (ITA) - Italy			
HIGH FLOW - HIGH VACUUM - 0,75 BAR / -75 kPa Power: 130 VA Mains Voltage: 230 V ~ 50 Hz			
MD			IP21 0051
2,1 kg = 4,6 lb			

#	DOMI DC		
REF	66131	SN	230075
UDI			2023.05.25
SIEM - NOVA SRL 20089 ROZZANO (MI) - VIA VARALLI 1 (ITA) - Italy			
HIGH FLOW - HIGH VACUUM - 0,75 BAR / -75 kPa EXTERNAL POWER SUPPLY 36W MOD GSM36E12-P1J INTERNAL BATTERY (LiFePO4) 12.8V DC 2,4A			
MD			IP21 0051
1,7 kg = 3,7 lb			