

HYSTEROSUCTOR ELECTRICAL SURGICAL ASPIRATOR

The model 6110-A1 CURET-MAX is an extraordinarily powerful surgical aspirator designed for operation in the operating room for instrumental aspiration of the embryo or foetus and to operate with absolute safety for the patient and operators.

6110-A1 CURET-MAX
Code: 66192-5L

ELECTRICAL SURGICAL ASPIRATOR
HIGH-VACUUM HIGH-FLOW

GMDN: 36607
CND/EMDN: Z120105
RDM: 2430557
UDI-DI: 08053435660051
BASIC UDI-DI: 8053435666110A1CMAXG

Method of use:

CONTINUOUS OPERATION

Expected service life: 10 years
Spare parts availability: 15 years
Placed on the market: 1998

AMAGNETIC ALUMINIUM wheeled frame
painted with high corrosion resistance
compact and space-saving structure

**EXTRAORDINARILY POWERFUL
OIL-LESS SUCTION PUMP**

Precision suction power regulator
Vacuum gauge with large amplitude
and visibility from 0 to -1bar
Pneumatic foot switch ON-OFF-ON
Quick suction switch from left to right jar

REUSABLE POLYCARBONATE jars and lids.
Ready for use with jars and disposable bags of any type
(at Customer's request).

EXCESSIVE OVER-FLOW
with floating overflow valve

LIQUID STOP that blocks the passage of liquid and
small droplets preventing them from ending up
on the antibacterial/viral filter membrane

ANTI-CONTAMINATION
With antibacterial/viral hydrophobic filter

Operating noise less than 60 dB
Operation warranty of 2 (two) years in compliance with
the user's manual.
Technical service is guaranteed by qualified personnel.



CE0051

SIEM - NOVA SRL is proud to produce surgical aspirators in ALLUMINIUM, one of the greenest materials on the planet, infinitely recyclable maintaining its qualities, environmentally sustainable, it is also amagnetic and resists corrosion. Technical improvements can be made without prior notice, respecting safety and quality.

SIEM - NOVA SRL - 20089 ROZZANO (MI) - VIA VARALLI 1 (ITA) - Italy - IVA: IT11578000157 - REA MI -1478315
tel: +39 02 57510916 - fax: +39 02 57511879 - export@siemnova.it - info@siemnova.it - www.siemnova.com

HYSTEROSUCTOR ELECTRICAL SURGICAL ASPIRATOR

6110-A1 CURET-MAX
Code: 66192-5L



CE₀₀₅₁

Technical characteristics:

Dimensions: (h x w x l):	H 1010, W 400, L 320 mm (40.4x15.7x12.8 inches)
Supply voltage with LW280-5L pump:	230 VAC; 50 Hz; 180 VA
Method of use:	CONTINUOUS
Flow rate (before filter):	> 95 liters/min – 5,7 m ³ /h. (± 5 %)
Standard jar capacity:	3000 ml
Weight (without jar):	18 kg / 44,1 lbs approx.
Maximum vacuum level:	– 697,55 mmHg / – 93 kPa- 0,93 bar (± 5 %)
Solids/liquids penetration protection class:	IP21
Classification according to CEI EN60601-1	Insulation class I Device with type B applied part. Device not suitable for use in the presence of anesthetic mixture with air, oxygen or nitrous oxide.
Classification according to UNI EN ISO 10079-1	Device for HIGH VACUUM and HIGH FLOW
Classification according to 2017/745 MDR	Class II a

SIEM - NOVA SRL is proud to produce surgical aspirators in ALLUMINIUM, one of the greenest materials on the planet, infinitely recyclable maintaining its qualities, environmentally sustainable, it is also amagnetic and resists corrosion. Technical improvements can be made without prior notice, respecting safety and quality.

SIEM - NOVA SRL - 20089 ROZZANO (MI) - VIA VARALLI 1 (ITA) - Italy - IVA: IT11578000157 - REA MI -1478315
tel: +39 02 57510916 - fax: +39 02 57511879 - export@siemnova.it - info@siemnova.it - www.siemnova.com